


Centrifugal Fan

Blower รุ่น Direct Driven ตัวจริง


Model	Motor (HP)	Phase	รอบมอเตอร์ (rpm.)	Air Flow (CMM./CFM.)	Static Pressure (In.wg.)
HID-1C	1	3	2840	16/550	2
HID-2C	2	3	2840	28/1000	3
HID-3C	3	3	2840	43/1500	4
HID-4C	5	3	2840	57/2000	5
HID-5C	7.5	3	2840	85/3000	7
HID-6C	10	3	2840	113/4000	8
HID-7C	15	3	2840	156/5500	9.5








Pacon Engineering




Tel : 092-4466494, 081-8804809
ID Line : 0924466494
Email : apirat@paconen.com






Rotation

Right Rotation (R)		
		
Upper part Horizontal (R1)	Upper part Vertical (R2)	Lower part Horizontal (R3)
		
Lower part Vertical (R4)	Upper part 30° Downward (R5)	Upper part 45° Upward (R6)

Left Rotation (L)		
		
Upper part Horizontal (L1)	Upper part Vertical (L2)	Lower part Horizontal (L3)
		
Lower part Vertical (L4)	Upper part 30° Downward (L5)	Upper part 45° Upward (L6)

Air Performance

CENTRIFUGAL FAN 12" (BACKWARD CURVED BLADE)



Air Volume
Static Pressure
Brake Horsepower

= 3,000 CFM.
= 168 mm. Wg
= 4.8 kw.